



Multi-metal-variate covalent organic frameworks as redox mediators for indirect electrocatalytic S-S bond construction

Ming Yue^{1,§}, Gang Liu^{2,§}, Yixin Ouyang^{3,§}, Jia-Li Zhang¹, Jia-Yong Weng¹, Bingchuan Yang², Xianqiang Huang², Yi-Rong Wang¹ (✉), Yifa Chen¹ (✉), and Ya-Qian Lan¹ (✉)

¹ Guangdong Provincial Key Laboratory of Carbon Dioxide Resource Utilization, School of Chemistry, South China Normal University, Guangzhou 510006, China

² Novel Cell Technology, School of Chemistry & Chemical Engineering, Liaocheng University, Liaocheng 252059, China

³ State Key Laboratory of Organic Electronics and Information Displays, Institute of Advanced Materials (IAM), Jiangsu National Synergistic Innovation Center for Advanced Materials (SICAM), Nanjing University of Posts & Telecommunications, Nanjing 210023, China

[§] Ming Yue, Gang Liu, and Yixin Ouyang contributed equally to this work.

Received: 13 August 2025 / **Revised:** 22 October 2025 / **Accepted:** 27 October 2025 / **Published date:** 5 December 2025

Erratum to

Nano Research Energy, 2025, DOI: 10.26599/NRE.2025.9120205
<https://doi.org/10.26599/NRE.2025.9120205>

In the article, the Acknowledgements part in the maintext of this article was unfortunately misrepresented due to the publisher's negligence.

Instead of

Acknowledgements

This work was financially supported by the National Key Research and Development Program of China (2022YFA1505700), the National Natural Science Foundation of China (52102216), the Shanghai Key Laboratory of Materials Protection and Advanced Materials in Electric Power, the Key Laboratory of Applied Surface and Colloid Chemistry (Shaanxi Normal University), Ministry of Education (2025067), the Anhui Key Laboratory of Nanomaterials and Nanotechnology, the Major Science and Technology Projects in Anhui Province (202305a12020006), the Open Project of State Key Laboratory of Inorganic Synthesis and Preparative Chemistry (2025-22), the Hubei Key Laboratory of Photoelectric Conversion Materials and Devices, Hubei Normal University, the Fujian Normal University and the Innovation Training Program for College Students (cxxl-2025137, cxxl-2025131, 2025019300A, 20250193008). The authors also greatly appreciate support by Transmission Electron Microscope Platform of Fujian Science & Technology Innovation Laboratory for Optoelectronic Information of China.

It should read

Acknowledgements

This work was financially supported by the National Key R&D Program of China (No. 2023YFA1507204). The National Natural Science Foundation of China (Grant Nos. 22225109, 22309054, 22171139, 22371080, 22475074). China Postdoctoral Science Foundation (No. 2023M731154). China National Postdoctoral Program for Innovative Talents (BX20220116). Guangdong Basic and Applied Basic Research Foundation (2024A1515013220). Natural Science Foundation of Guangdong Province (No. 2023B1515020076). The Double Thousand Talents Plan of Jiangxi Province (jxsq2023102003). Guangdong Provincial Key Laboratory of Carbon Dioxide Resource Utilization (No. 2024B1212010011). Major Research plan of the National Natural Science Foundation of China (No. 92461310). Scientific Research Innovation Project of Graduate School of South China Normal University.

The online version of the original article can be found at
<https://doi.org/10.26599/NRE.2025.9120205>

© The Author(s) 2025. Published by Tsinghua University Press. The articles published in this open access journal are distributed under the terms of the Creative Commons Attribution 4.0 International License (<http://creativecommons.org/licenses/by/4.0/>), which permits use, distribution and reproduction in any medium, provided the original work is properly cited.

Address correspondence to Yi-Rong Wang, yirongwang@m.scnu.edu.cn; Yifa Chen, chyf927821@163.com; Ya-Qian Lan, yqlan@m.scnu.edu.cn